

References for Fermented Foods

1. Research Note: Sauerkraut Brine: a Potential Substrate for Production of Yeast β -Glucosidase, S.L. Sim, Y.D. Hangf1, LWT - Food Science and Technology, Volume 29, Issue 4, 1996, Pages 365–367
2. Fermented foods, neuroticism, and social anxiety: An interaction model., Hilimire MR1, DeVyllder JE2, Forestell CA3., Psychiatry Res. 2015 Aug 15;228(2):203-8.
3. S. Parvez1,†, K.A. Malik2, S. Ah Kang3 and H.-Y. Kim1 Journal of Applied Microbiology, Volume 100, Issue 6, pages 1171–1185, June 2006
4. Effects of Fermentation on the Nutritional Properties of Food, Roger F. McFeeters, Nutritional Evaluation of Food Processing, 1988, pp 423-446
5. Health benefits of kimchi (Korean fermented vegetables) as a probiotic food., Park KY1, Jeong, JK, Lee YE, Daily JW 3rd. J Med Food. 2014 Jan;17(1):6-20. doi: 10.1089/jmf.2013.3083.
6. Modulation of carcinogen metabolizing cytochromes P450 in rat liver and kidney by cabbage and sauerkraut juices: comparison with the effects of indole-3-carbinol and phenethyl isothiocyanate,” 2012, PMID: 22173777
<http://www.ncbi.nlm.nih.gov/pubmed/22173777>
7. Modulation of CYP19 expression by cabbage juices and their active components: indole-3-carbinol and 3,3'-diindolylmethene in human breast epithelial cell, 2013, PMID: 23090135 <http://www.ncbi.nlm.nih.gov/pubmed/23090135> - See more at:
8. <http://healthimpactnews.com/2014/sauerkraut-anti-cancer-fermented-food-that-restores-gut-flora/#sthash.ILT9Sv3H.dpuf>
9. Cheney G. Calif Med. Vitamin U therapy of peptic ulcer. 1952 Oct;77(4):248-52. View Full Paper
10. Cheney GRapid Healing of Peptic Ulcers in Patients Receiving Fresh Cabbage Juice. Calif Med. Jan 1949; 70(1): 10–15. View Full Paper
11. Cheney G, Waxler SH, Miller IJ. Vitamin U therapy of peptic ulcer; experience at San Quentin Prison. Calif Med. 1956 Jan;84(1):39-42. View Full Paper
12. Modulation of rat hepatic and kidney phase II enzymes by cabbage juices: comparison with the effects of indole-3-carbinol and phenethyl isothiocyanate. Krajka-Kuźniak V1, Szaefer H, Bartoszek A, Baer-Dubowska W. Br J Nutr. 2011 Mar;105(6):816-26.
13. Cruciferous Vegetables and Human Cancer Risk: Epidemiologic Evidence and Mechanistic Basis. Higdon JV, Delage B, Williams DE, et al. Pharmacol Res. 2007 March; 55(3): 224-236. 2007.
14. Cancer chemoprevention of intestinal polyposis in ApcMin/+ mice by sulforaphane, a natural product derived from cruciferous vegetable. Hu R, Khor TO, Shen G, Jeong WS, Hebbar V, Chen C, Xu C, Reddy B, Chada K, Kong AN. Carcinogenesis. 2006 May 4; [Epub ahead of print. 2006. PMID:16675473.
15. Steam cooking significantly improves in vitro bile acid binding of collard greens, kale, mustard greens, broccoli, green bell pepper, and cabbage. Kahlon TS, Chiu MC, Chapman MH. 2008 Jun;28(6):351-7. 2008.
16. DNA Fingerprinting of Lactic Acid Bacteria in Sauerkraut Fermentations ▽†‡ Vethachai Plengvidhya§, et al, Appl. Environ. Microbiol. December 2007 vol. 73 no. 23 7697-7702

17. Beneficial Role of Lactic Acid Bacteria in Food Preservation and Human Health: A Review Asmahan Azhari Ali, Research Journal of Microbiology, 5: 1213-1221.
18. Fermented Sauerkraut Juice as Antimicrobial Agent: An In Vitro Study, Pundir Ram Kumar et al, Int. Res. J Pharm., 2013, 4(12)
19. Fermented kimchi reduces body weight and improves metabolic parameters in overweight and obese pat Bacterial community structure in kimchi, a Korean fermented vegetable food, as revealed by 16S rRNA gene analysis, Myungjin Kim, Jongsik ChunTients, Kim EK1et al, Nutr Res. 2011 Jun;31(6):436-43
20. Bacterial community structure in kimchi, a Korean fermented vegetable food, as revealed by 16S rRNA gene analysis, Myungjin Kim et al, International Journal of Food Microbiology 103 (2005) 91– 96
21. Health benefits of kimchi (Korean fermented vegetables) as a probiotic food. Park KY1, Jeong JK, Lee YE, Daily JW 3rd.J Med Food. 2014 Jan;17(1):6-20.
22. <http://www.kscpp.net/LinkClick.aspx?fileticket=Tpm6kbNBiWE%3D&tabid=140&mid=498>
23. Degradation of bisphenol A by Bacillus pumilus isolated from kimchi, a traditionally fermented food. Yamanaka H1, Moriyoshi K, Ohmoto T, Ohe T, Sakai K.Appl Biochem Biotechnol. 2007 Jan;136(1):39-51.
24. Studies on development of cancer preventive and anticancer kimchi and its anticancer mechanism [PhD thesis]. Kil JH: Pusan National University, Busan, Korea, 2004.
25. The effect of kimchi powder supplement on the body weight reduction of obese adult women [MS thesis], Ahn SJ: Pusan National University, Busan, Korea, 2007.
26. Fermented kimchi reduced body weight and improves metabolic parameters in overweight and obese patients. Kim EK, An SY, Lee MS, Kim TH, Lee HK, Hwang WS, Choe SJ, Kim TY, Han SJ, Kim HJ, Kim DJ, Lee KW: Nutr Res 2012;31:436–443.
27. Determination and characterization of the anti-microbial activity of the fermented tea Kombucha, C.J. Greenwalt, R.A. Ledford, and K.H. Steinkraus Department of Food Science Cornell University
28. Antibacterial And Antifungal Activities Of Black And Green Kombucha Teas, Houda Battikh1,2, et al, Journal of Food Biochemistry, Volume 37, Issue 2, pages 231–236, April 2013
29. A Review on Kombucha Tea—Microbiology, Composition, Fermentation, Beneficial Effects, Toxicity, and Tea Fungus, Rasu Jayabalan1,*, Radomir V. Malbaša2, Eva S. Lončar2, Jasmina S. Vitas2 and Muthuswamy Sathishkumar3, Comprehensive Reviews in Food Science and Food Safety, Volume 13, Issue 4, pages 538–550, July 2014
30. Reiss J. 1994. Influence of different sugars on the metabolism of he tea fungus. Z Lebensm Unters For **198**:258–61.
31. Chu SC, Chen C. 2006. Effects of origins and fermentation time on the antioxidant activities of kombucha. Food Chem 98:502–7.CrossRef,CAS,Web of Science®
32. Histopathological and clinical evaluation of Kombucha tea and Nitrofurazone on cutaneous full-thickness wounds healing in rats: an experimental study
33. Fardin Barati1, Javad Javanbakht2*, Farajollah Adib-Hashemi1, Ehsan Hosseini3, Reyhaneh Safaeie4, Mojtaba Rajabian5, Mostafa Razmjoo6, Reza Sedaghat7 and Mehdi Aghamohammad Hassan1, Diagnostic Pathology 2013, 8:120

34. Tea, Kombucha, and health: a review, C. Dufresne, E. Farnworth *Food Research and Development Centre, Agriculture and Agri-Food Canada, Food Research International 33 (2000) 409±421
35. Effects of Kombucha on oxidative stress induced nephrotoxicity in rats, Ola Ali Gharib, Chinese Medicine 2009, 4:23
36. Antioxidant Potency Of Water Kefir, Muneer Alsayadi MS*1,3, Yaser Al jawfi2, Meriem Belarbi3, and Fatima Z Sabri3, Journal of Microbiology, Biotechnology and Food Sciences, 2013;2(6) 2444-2447
37. Metabolic activity and symbiotic interactions of lactic acid bacteria and yeasts isolated from water kefir. Stadie J1, Gulitz A, Ehrmann MA, Vogel RF. Food Microbiol. 2013 Sep;35(2):92-8
38. Evaluation of Anti-Hyperglycemic and Anti-Hyperlipidemic Activities of Water Kefir as Probiotic on Streptozotocin-Induced Diabetic Wistar Rats. Alsayadi, M. , Jawfi, Y. , Belarbi, M. , Soualem-Mami, Z. , Merzouk, H. , Sari, D. , Sabri, F. and Ghalim, M. (2014) Journal of Diabetes Mellitus, 4, 85-95.
39. Anti-Diabetic Effects of Lactic Acid Bacteria in Normal and Type 2 Diabetic Mice. Honda, K., Moto, M., Uchida, N., He, F. and Hashizume, N. (2012) Journal of Clinical Biochemistry and Nutrition, 2, 96-101.
40. Beetroot (Beta vulgaris L.) and naturally fermented beetroot juices from organic and conventional production: metabolomics, antioxidant levels and anticancer activity, Renata Kazimierczak et al, Journal of the Science of Food and Agriculture, Volume 94, Issue 13, pages 2618–2629, October 2014
41. Effect of the fermentation process on levels of nitrates and nitrites in selected vegetables]. Heród-Leszczynska T1, Miedzobrodzka A. Rocz Panstw Zakl Hig. 1992;43(3-4):253-8.
42. Dietary nitrate supplementation reduces the O2 cost of low-intensity exercise and enhances tolerance to high-intensity exercise in humans Bailey SJ, Winyard P, Vanhatalo A, et al.. *J Appl Physiol.* 2009;107:1144-1155.
43. Studies on the protective effects of betaine against oxidative damage during experimentally induced restraint stress in Wistar albino rats, Balaraman Ganesan et al, Cell Stress and Chaperones, November 2011, Volume 16, Issue 6, pp 641-652
44. Effect of betaine supplementation on power performance and fatigue, Jay R Hoffman*, Nicholas A Ratamess, et al, Journal of the International Society of Sports Nutrition 2009,
45. Betalains—a new class of dietary cationized antioxidants, Kanner J, Harel S, Granit R., *J Agric Food Chem.* 2001 Nov;49(11):5178-85.
46. Betalains, phase II enzyme-inducing components from red beetroot (Beta vulgaris L.) extracts, Lee CH, Wettasinghe M, Bolling BW et al., *Nutr Cancer.* 2005;53(1):91-103. 2005.
47. Intake of vitamin A and carotenoids from the Italian population—results of an Italian total diet study, Lucarini M, Lanzi S, D’Evoli L et al., *Int J Vitam Nutr Res.* 2006 May;76(3):103-9. 2006.

48. Relative inhibition of lipid peroxidation, cyclooxygenase enzymes, and human tumor cell proliferation by natural food colors, Reddy MK, Alexander-Lindo RL and Nair MG., *J Agric Food Chem.* 2005 Nov 16;53(23):9268-73. 2005.
49. Exploring vascular benefits of endothelium-derived nitric oxide. Cockcroft JR1, *Am J Hypertens.* 2005 Dec;18(12 Pt 2):177S-183S.
50. Kefir – A Complex Probiotic, Edward R. Farnworth, Food Research and Development Centre, Agriculture and Agri-food Canada, International Food Service Information, Food Science and Technology Bulletin
51. Anti-inflammatory properties of kefir and its polysaccharide extract. Rodrigues KL1, Carvalho JC, Schneedorf JM., *Inflammopharmacology.* 2005;13(5-6):485-92.
52. Study of Immune Cells Involved in the Antitumor Effect of Kefir in a Murine Breast Cancer Model, A. de Moreno de LeBlanc et al, *Journal of Dairy Science*, April 2007 Volume 90, Issue 4, Pages 1920–1928
53. Kefir improves lactose digestion and tolerance in adults with lactose maldigestion, Steven R. Hertzler, PhD, RD, Shannon M. Clancy, MS, RD, *Journal of the Academy of Nutrition and Dietetics*, May 2003, Volume 103, Issue 5, Pages 582–587
54. Study on Skin Care Properties of Milk Kefir Whey, M. J. Chen*, J. R. Liu¹, J. F. Sheu, C. W. Lin and C. L. Chuang², Department of Animal Science, National Taiwan University, Taipei, *Asian Australas. J. Anim. Sci* > Volume 19(6); 2006
55. Study of the Microbial and chemical properties of goat milk kefir produced by inoculation with Taiwanese kefir grains. Chen, M. J., J. R. Liu, C. W. Lin and Y. T. Yeh, *Asian-Aust. J. Anim. Sci.* 2005,18(5):711-715.
56. Microbiological, technological and therapeutic properties of kefir: a natural probiotic beverage, Analay Machado de Oliveira Leite¹ et al, *Braz. J. Microbiol.* vol.44 no.2 São Paulo 2013
57. Kefir improves bone mass and microarchitecture in an ovariectomized rat model of postmenopausal osteoporosis. Chen HL¹, Tung YT, Chuang CH, Tu MY, Tsai TC, Chang SY, Chen CM. *Osteoporos Int.* 2015 Feb;26(2):589-99. doi: 10.1007/s00198-014-2908-x. Epub 2014 Oct 3.
58. Anti-inflammatory and anti-allergic effects of kefir in a mouse asthma model. Lee MY¹, Ahn KS, Kwon OK, Kim MJ, Kim MK, Lee IY, Oh SR, Lee HK, *Immunobiology.* 2007;212(8):647-54. Epub 2007 Jul 10.
59. The effect of kefir consumption on human immune system: a cytokine study. Adiloğlu AK¹, Gönülateş N, İşler M, Senol A., *Mikrobiyol Bul.* 2013 Apr;47(2):273-81.
60. Anti-inflammatory and anti-allergic effects of kefir in a mouse asthma model, Mee-Young Lee¹ et al, *Immunobiology* 212 (2007) 647–654
61. Fermented foods, microbiota, and mental health: ancient practice meets nutritional psychiatry, Eva M Selhub^{1*†}, Alan C Logan^{2†} and Alison C Basted^{3†} *Journal of Physiological Anthropology* 2014, 33:2
62. Probiotics and their fermented food products are beneficial for health, S. Parvez^{1,†}, K.A. Malik², S. Ah Kang³ and H.-Y. Kim¹, *Journal of Applied Microbiology*, Volume 100, Issue 6, pages 1171–1185, June 2006
63. Improved iron solubility in carrot juice fermented by homo- and hetero-fermentative lactic acid bacteria S. W. Bergqvist, A. -S. Sandberg, N. -G. Carlsson and T. Andlid, Department of Chemistry and Bioscience/Food Science, Chalmers University of Technology, 2004

64. Sourdough- leavened bread improves postprandial glucose and insulin plasma levels in subjects with impaired glucose tolerance, *Acta Diabetologica* June 2008, Volume 45, Issue 2, pp 91-96
65. Gluten-free sourdough wheat baked goods appear safe for young celiac patients: a pilot study. Di Cagno R1, Barbato M, Di Camillo C, Rizzello CG, De Angelis M, Giuliani G, De Vincenzi M, Gobbetti M, Cucchiara S.J *Pediatr Gastroenterol Nutr.* 2010 Dec;51(6):777-83. doi: 10.1097/MPG.0b013e3181f22ba4.
66. Structural changes of gliadins during sourdough fermentation, Gokcen Komen, Ayse Handan Baysal, Sebnem Harsa, Izmir Institute of Technology, Izmir, Turkey
67. The Acute Impact of Ingestion of Sourdough and Whole-Grain Breads on Blood Glucose, Insulin, and Incretins in Overweight and Obese Men, Anita Mofidi, Zachary M. Ferraro, Katherine A. Stewart, Hilary M. F. Tulk, Lindsay E. Robinson, Alison M. Duncan, and Terry E. Graham, Department of Human Health and Nutritional Sciences, University of Guelph, *Journal of Nutrition and Metabolism*, Volume 2012 (2012), Article ID 184710, 9 pages
68. Sourdough Bread Made from Wheat and Nontoxic Flours and Started with Selected Lactobacilli Is Tolerated in Celiac Sprue Patients, Raffaella Di Cagno^{1,†}, et al, *Appl. Environ. Microbiol.* February 2004 vol. 70 no. 2 1088-1096
69. Delayed gastric emptying rate as a potential mechanism for lowered glycemia after eating sourdough bread: studies in humans and rats using test products with added organic acids or an organic salt. H G Liljeberg and I M Björck, *Am J Clin Nutr* December 1996 vol. 64 no. 6 886-893
70. Use of sourdough to reduce phytic acid and improve zinc bioavailability of a traditional flat bread (sangak) from Iran, Mohammad Ali Najafi et al, *Food Science and Biotechnology*, February 2012, Volume 21, Issue 1, pp 51-57
71. Effect of Breadmaking Process on In Vitro Gut Microbiota Parameters in Irritable Bowel Syndrome, Adele Costabile^{1*} et al, *PLoS One* 9.10 (Oct 2014): e111225
72. Glycosidases and B group vitamins produced by six yeast strains from the digestive tract of *Phoracantha semipunctata* larvae and their role in the insect development, C. Chararas et al, *Mycopathologia* 1983, Volume 83, Issue 1, pp 9-15
73. http://www.uoguelph.ca/news/2008/07/sourdough_bread.html
74. Diet-Induced Dysbiosis of the Intestinal Microbiota and the Effects on Immunity and Disease, Kirsty Brown, et al *Nutrients.* 2012 Aug; 4(8): 1095–1119.
75. Dietary supplementation with omega-3 fatty acid attenuates 5-fluorouracil induced mucositis in mice Simone de Vasconcelos Generoso et al, *Lipids in Health and Disease* June 2015, 14:54,
76. Prebiotic fiber modulation of the gut microbiota improves risk factors for obesity and the metabolic syndrome, Parnell JA¹ et al, Reimer RA. *Gut Microbes.* 2012 Jan-Feb;3(1):29-34.
77. Randomised clinical study: *Aspergillus niger*-derived enzyme digests gluten in the stomach of healthy volunteers, B. N. Salden, *Alimentary Pharmacology & Therapeutics*, Volume 42, Issue 3, pages 273–285, August 2015
78. Drash AL, Kramer MS, Swanson J, Udall JN. Infant feeding practices and their possible relationship to the etiology of diabetes mellitus: work group on cow's milk protein and diabetes mellitus. *Pediatrics.* 1994;94: 752–754.

79. Drucker DJ, Nauck MA. The incretin system: glucagon-like peptide-1 receptor agonists and dipeptidyl peptidase-4 inhibitors in type 2 diabetes. *Lancet*. 2006;368(9548):1696-1705.
80. Duke-Cohan JS, Morimoto C, Rocker JA, Schlossman SF: A novel form of dipeptidylpeptidase IV found in human serum. *J Biol Chem*. 1995; 270: 141 07-1 41 14.
81. Hadjivassilou M, Grunewald RA, Davies-Jones GA. Gluten sensitivity: a many headed hydra [editorial]. *Br Med J*. 1999; 318: 1710-1.
82. Jarmołowska B, Bielikowicz K, Małgorzata I, Sidor K. Serum activity of dipeptidyl peptidase IV (DPPIV; EC 3.4.14.5) in breast-fed infants with symptoms of allergy. *Peptide*. 2007; 678-682.
83. Kalliomaki M, Kirjavainen P, Eerola E, Kero P, Salminen S, Isolauri E. Distinct patterns of neonatal gut microflora in infants developing or not developing atopy. *J Allergy Clin Immunol*. 2001;107:129-34.
84. Koch G, Wiedemann K, Drebes E, Zimmermann W, Link G, Teschemacher H. Human b-casomorphin-8 immunoreactive material in the plasma of women during pregnancy and after delivery. *Regul Pept*. 1988;20:107-17.
85. Kurek M, Malaczynska T. Nutritive casein formula elicits pseudoallergic skin reactions by trick testing. *Int Arch Allergy Immunol*. 1999;118:228-9.
86. Kurek M, Rue M, Czerwionka-Szaflarska M, Doroszevska G, Przybiela B. Exorphins derived from cow's milk casein elicit pseudo-allergic wheal-and-flare reactions in healthy children. *Rev fr Allergol*. 1996;36(2):191-6.
87. Arvola T, Moilanen E, Vuento R, Isolauri E. Weaning to hypoallergenic formula improves gut barrier function in breast-fed infants with atopic eczema. *J Pediatric Gastroenterol. Nutr*. 2004;38(1):92-6.
88. Barnett A. DPP-4 inhibitors and their potential role in the management of type 2 diabetes. *Int J Clin Pract*. 2006;60(11):1454-1470.
89. Bjarnason I, MacPherson A, Hollander D. Intestinal permeability: an overview. *Gastroenterology*. 1995; 108(5):1566-8.
90. Christophers E, Foeller-Holst R. Atopic dermatitis versus infantile eczema. *J Am Acad Dermatol*. 2001;45:2-3.
91. Clot F, Babron MC, Percopo S, Giordano M, Bouguerra F, Clerget-Darpoux F, Greco L, Serre JL, Fulchignoni-Lataud MC. Study of two ectopeptidases in the susceptibility to celiac disease: two newly identified polymorphisms of dipeptidylpeptidase IV. *Journal of Pediatric Gastroenterology Nutrition*. 2000; 30(4):464-6.
92. Meester I, Lambeir AM, Proost P, Scharpe S. Dipeptidyl peptidase IV substrates. An update on in vitro peptide hydrolysis by human DPPIV. *Adv. Exp. Med. Biol*. 2003; 524: 3-17.
93. Meisel, H. & FitzGerald, R. J. Opioid peptides encrypted in intact milk protein sequences. *Br. J. Nutr*. 2000;84(suppl. 1):S27-S31.
94. Mikhail N. Exenatide: a novel approach for treatment of type 2 diabetes. *South Med J*. 2006;99(11):1271-1279.
95. Morimoto, C., and S.F. Schlossman. The structure and function of CD26 in the T-cell immune response. *Immunol.Rev*. 1998;161:55-70.

96. Morrison, M.E., S. Vijayasaradhi, D. Engelstein, A.P. Albino, and A.N. Houghton. A marker for neoplastic progression of human melanocytes is a cell surface ectopeptidase. *J. Exp. Med.* 1993;177:1135–1143.
97. Ouwehand AC, Isolauri E, He F, Hashimoto H, Benno Y, Salminen S. Differences in Bifidobacterium flora composition in allergic and healthy infants. *J Allergy Clin Immunol.* 2001;108:144–5.
98. Sedo A, Kraml J. Dipeptidyl peptidase IV in cell proliferation and differentiation. *Sb Lek* 1994;95:285–8.
99. Shan L, Molberg O, Parrot I, Hausch F, Filiz F, Gray GM, Sollid LM, Khosla C. Structural basis for gluten intolerance in celiac sprue. *Science* 2002;297(5590):2275-9.
100. Varmanen, P., Savijoki, K., Avail, S., Palva, A., Tynkkynen S-54X-prolyl Dipeptidyl aminopeptidase gene (pepX) is part of the ginRA operon in *Lactobacillus rhamnosus*, *Journal of Bacteriology* 2000;182(1): 146-154
101. Viljanen M, Savilahti E, Haahtela T Probiotics in the treatment of atopic eczema/dermatitis syndrome in infants: a double-blind placebo-controlled trial. *Arch Dermatol.* 2006;142 (9):1201-3.
102. Wesley UV, Albino AP, Tiwari S, Houghton AN. A role for dipeptidyl peptidase IV in suppressing the malignant phenotype of melanocytic cells. *J Exp Med* 1999; 190:311–22.
103. Wesley UV, McGroarty M, Homoyouni A. Dipeptidyl peptidase inhibits malignant phenotype of prostate cancer cells by blocking basic fibroblast growth factor signaling pathway. *Cancer Res.* 2005;65:1325-1334. Wesley UV, Tiwari S, Houghton AN. R
104. Emilie Clair, Laura Linn, Carine Travert, Caroline Amiel, Gilles-Eric S  ralini, Jean-Michel Panoff. Effects of Roundup(  ) and Glyphosate on Three Food Microorganisms: *Geotrichum candidum*, *Lactococcus lactis* subsp. *cremoris* and *Lactobacillus delbrueckii* subsp. *bulgaricus*. *Curr Microbiol.* 2012 Feb 24. Epub 2012 Feb 24. PMID
105. The effect of glyphosate on potential pathogens and beneficial members of poultry microbiota in vitro. Shehata AA1 et al, *Curr Microbiol.* 2013 Apr;66(4):350-8.
106. The Site of the Inhibition of the Shikimate Pathway by Glyphosate I. Inhibition By Glyphosate Of Phenylpropanoid Synthesis In Buckwheat (*Fagopyrum Esculentum* Moench) 1, 2 Heike Holl  nder and Nikolaus Amrhein3, *Plant Physiol.* 1980 Nov; 66(5): 823–829.
107. Capsaicin and gastric ulcers. Satyanarayana MN1, *Crit Rev Food Sci Nutr.* 2006;46(4):275-328.
108. <http://umm.edu/health/medical/altmed/herb/ginger>
109. Composition And Bactericidal Activity Against Beneficial And Pathogenic Bacteria Of Oregano Essential Oils From Four Chemotypes Of *Origanum* AND *Lippia* GENUS L. Betancourt 1,2*, V. Phandanauvong3, R. Pati  o4, C. Ariza-Nieto4, G. Afanador-T  llez1. Art  culo recibido: 3 de febrero de 2012; aprobado: 13 de marzo de 2012
110. The Effect of Anise and Rosemary on the Microbial Balance in Gastro Intestinal Tract for Broiler Chicks Ghalib Alwan Mohammed Al-Kassie, Mayada Fadil Mohammed, Mohanad Falhi Hamood and Yasser Jamal Jameel, *International Journal of Poultry Science* Year: 2008 | Volume: 7 | Issue: 6 | Page No.: 610-612

111. <http://naturalmedicinejournal.com/journal/2014-10/natural-antimicrobial-compounds-small-intestinal-bacterial-overgrowth-syndrome>
112. Turmeric extract may improve irritable bowel syndrome symptomology in otherwise healthy adults: a pilot study. Bundy R1, J Altern Complement Med. 2004 Dec;10(6):1015-8.
113. Efficacy of turmeric in the treatment of digestive disorders: a systematic review and meta-analysis protocol. Thavorn K1, Syst Rev. 2014 Jun 28;3:71.
114. Effects of extract and essential oil of Rosmarinus officinalis L. on TNBS-induced colitis in rats, M. Minaiyan,1,3,* A. R. Ghannadi,2,3 M. Afsharipour,3 and P. Mahzouni4, Res Pharm Sci. 2011 Jan-Jun; 6(1): 13–21.
115. Vatter DA et al. Dietary phytochemicals as quorum sensing inhibitors. *Fitoterapia*. 2007 Jun;78(4):302-10. <http://pmid.us/17499938>
116. The Effect of Thyme and Cinnamon on the Microbial Balance in Gastro Intestinal Tract on Broiler Chicks, Ghalib Alwan Mohamed Al-Kassie, International Journal of Poultry Science 9 (5): 495-498, 2010 ISSN 1682-8356
117. GC-MS analysis of fennel essential oil and its effect on microbiology growth in rats' intestine, Liang Renjie et al, School of life science, Taizhou University, 317000, Zhejiang, PR China, African journal of microbiology research (Impact Factor: 0.54). 07/2010; 4:1319-1323.
118. Effects of Thyme Essential Oil on Performance, Some Blood Parameters and Ileal Microflora of Japanese Quail, Khaksar, V.; Krimpen, M.M. van; Hashemipour, H.; Pilevar, M. Poultry Science 49 (2012)2. - ISSN 1346-7395 - p. 106 - 110.
119. Cinnamon extracts' inhibitory effect on Helicobacter pylori. Tabak M1, Armon R, Neeman, J Ethnopharmacol. 1999 Nov 30;67(3):269-77.
120. <http://www.greenmedinfo.com/article/fennel-seed-oil-superior-placebo-decreasing-intensity-infantile-colic>
121. Effect of cinnamon on postprandial blood glucose, gastric emptying, and satiety in healthy subjects1,2,3Joanna Hlebowicz et al, Am J Clin Nutr June 2007 vol. 85 no. 6 1552-1556
122. Curcumin for inflammatory bowel disease: a review of human studies., Taylor RA1, Leonard MC., Altern Med Rev. 2011 Jun;16(2):152-6.
123. Antimicrobial activity of individual and mixed fractions of dill, cilantro, coriander and eucalyptus essential oils.Delaquis PJ, Stanich K, Girard B, Mazza G., Int J Food Microbiol2002;74:101-109.
124. Dorman HJ, Deans SG. Antimicrobial agents from plants: antibacterial activity of plant volatile oils. J Appl Microbiol 2000;88:308- 316.
125. Pattnaik S, Subramanyam VR, Kole C., Antibacterial and antifungal activity of ten essential oils in vitro. Microbios 1996;86:237-246.
126. Pattnaik S, Subramanyam VR, Bapaji M, Kole, CR. Antibacterial and antifungal activity of aromatic constituents of essential oils. Microbios 1997;89:39-46.
127. Farag RS, Daw ZY, Hewedi FM, El-Baroty, GSA. Antimicrobial activity of some Egyptian spice essential oils. J Food Prot 1989;52:665-