



The Healthy Gut Certificate Program

References for Module 1

1. Improvement in chewing activity reduces energy intake in one meal and modulates plasma gut hormone concentrations in obese and lean young Chinese men, Li J1, Zhang N, Hu L, Li Z, Li R, Li C, Wang S., *Am J Clin Nutr.* 2011 Sep;94(3):709-16.
2. A comparison of leptin and ghrelin levels in plasma and saliva of young healthy subjects, Suleyman Aydin et al, *Peptides* 26 (2005) 647–652
3. Prebiotic feeding elevates central brain derived neurotrophic factor, N-methyl-daspartate receptor subunits and d-serine, Helene M. Savignac et al, *Neurochemistry International* Volume 63, Issue 8, December 2013, Pages 756–764
4. <http://newsroom.ucla.edu/releases/changing-gut-bacteria-through-245617>
5. http://www.researchgate.net/post/Probiotic_intake_for_modulation_of_cortisol_response
6. Galactooligosaccharide supplementation reduces stress-induced gastrointestinal dysfunction and days of cold or flu: a randomized, double-blind, controlled trial in healthy university students^{1,2,3}, Christine Hughes et al, *Am J Clin Nutr* June 2011 vol. 93 no. 6 1305-1311 .
7. Recent advances in clinical practice, Intestinal microbiota in functional bowel disorders: a Rome foundation report, Magnus Simrén et al, *Gut* 2013;62:159-176
8. The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism, Gijs den Besten et al, *J Lipid Res.* 2013 Sep; 54(9): 2325–2340.
9. Stress and the gut: pathophysiology, clinical consequences, diagnostic approach and treatment options., Konturek PC1, Brzozowski T, Konturek SJ, *J Physiol Pharmacol.* 2011 Dec;62(6):591-9.
10. Fermentation products: immunological effects on human and animal models Audrey Granier et al, *Pediatric Research* (2013) 74, 238–244
11. Administration of a probiotic with peanut oral immunotherapy: A randomized trial, Mimi L.K. Tang et al, *Immunology* March 2015 Volume 135, Issue 3, Pages 737–744.e8
12. Caregivers' Knowledge and Use of Fermented Foods for Infant and Young Children Feeding in a Rural Community of Odi, Gauteng Province, South Africa Paul K Chelule et al, *Health Promot Perspect.* 2014; 4(1): 54–60.
13. 1. Lipski E. Traditional Non-Western Diets. *Nutr Clin Pract.* 2010;25:585–593. [PubMed]
14. 2. Chelule PK, Mbongwa HP, Carries S, Gqaleni N. Lactic acid fermentation improves the quality of amahewu, a traditional South African maize-based porridge. *Food Chem.* 2010;122:656–661.
15. 3. Osman MA. Changes in sorghum enzyme inhibitors, phytic acid, tannins and in vitro protein digestibility occurring during Khamir (local bread) fermentation. *Food Chem.* 2004;88:129–134.
16. 4. Anukam KC, Reid G. African traditional fermented foods and probiotics. *J Med Food.* 2009;12:1177–1184. [PubMed]
17. 5. Saavedra JM. Use of probiotics in pediatrics: rationale, mechanisms of Action, and practical aspects. *Nutr Clin Pract.* 2007;22:351–365. [PubMed]
18. 6. Hatakka K, Savilahti E, Pönkä A, Meurman JH, Poussa T, Näse L. et al. Effect of long term consumption of probiotic milk on infections in children attending day care centres: double blind, randomised trial. *BMJ.* 2001;322:1327. [PMC free article] [PubMed]



19. 7. Deshpande GC, Rao SC, Keil AD, Patole SK. Evidence-based guidelines for use of probiotics in preterm neonates. *BMC Med.* 2011;9:92. [PMC free article] [PubMed]
20. 8. Pedone CA, Arnaud CC, Postaire ER, Bouley CF, Reinert P. Multicentric study of the effect of milk fermented by *Lactobacillus casei* on the incidence of diarrhoea. *Int J Clin Pract.* 2000;54:568–571. [PubMed]
21. 9. Weizman Z, Asli G, Alsheikh A. Effect of a probiotic infant formula on infections in child care centers: comparison of two probiotic agents. *Pediatrics.* 2005;115:5–9. [PubMed]
22. 10. Johnston BC, Goldenberg JZ, Vandvik PO, Sun X, Guyatt GH. Probiotics for the prevention of pediatric antibiotic-associated diarrhea. *Cochrane Database Syst Rev.* 2011;9:CD00482. [PubMed]
- 23.
24. 11. Majamaa H, Isolauri E, Saxelin M, Vesikari T. Lactic acid bacteria in the treatment of acute rotavirus gastroenteritis. *J Pediatr Gastroenterol Nutr.* 1995;20:333–338. [PubMed]
25. 12. Saavedra JM, Bauman NA, Oung I, Perman JA, Yolken RH. Feeding of *Bifidobacterium bifidum* and *Streptococcus thermophilus* to infants in hospital for prevention of diarrhoea and shedding of rotavirus. *Lancet.* 1994;344:1046–1049. [PubMed]
26. 13. Saavedra JM, Abi-Hanna A, Moore N, Yolken RH. Long-term consumption of infant formulas containing live probiotic bacteria: tolerance and safety. *Am J Clin Nutr.* 2004;79:261–267. [PubMed]
27. 14. Chelule PK, Mduduzi MP, Gqaleni N. Advantages of traditional lactic acid bacteria fermentation of food in Africa. In: Vilas AM, ed. *Current Research, Technology and Education Topics in Applied Microbiology and Microbial Biotechnology.* Badajoz: Formatex Research Center; 2010.
28. 15. Franz HC. The traditional diet of the Bantu in the Pietersburg district. *S Afr Med J.* 1971;45:1232–1235. [PubMed]
29. 16. Nnanyelugo DO, Okeke EC, Ibeanu V. Knowledge, attitude and usage patterns of fermented and germinated complementary foods in Nigeria. *Plant Foods Hum Nutr.* 2003;58:41–51. [PubMed]
30. 17. Watson FE, Ngesa A, Onyang'o J, Alnwick D, Tomkins AM. Fermentation - a traditional anti-diarrhoeal practice lost? The use of fermented foods in urban and rural Kenya. *Int J Food Sci Nutr.* 1996;47:171–179. [PubMed]
31. 18. Steinkraus KH. Classification of fermented foods: worldwide review of household fermentation techniques. *Food Control.* 1997;8:311–317.
32. 19. Mensah P. Fermentation -- the key to food safety assurance in Africa? *Food Control.* 1997;8:271–278.
33. 20. Anukam KC, Osazuwa EO, Reid G. Knowledge of probiotics by Nigerian clinicians. *Int J Probiotics Prebiotics.* 2006;1:57–62.
- 34.
35. 21. Payahoo L, Nikniaz Z, Mahdavi R, Asghari Jafarabadi M. Perceptions of medical sciences students towards probiotics. *Health Promot Perspect.* 2012;2:96–102. [PMC free article] [PubMed]
36. 22. Lin DC. Probiotics as functional foods. *Nutr Clin Pract.* 2003;18:497–506. [PubMed]
37. 23. Minocha A. Probiotics for preventive health. *Nutr Clin Pract.* 2009;24:227–241. [PubMed]



38. 24. Hirayama K, Rafter J. The role of lactic acid bacteria in colon cancer prevention: mechanistic considerations. *Antonie Van Leeuwenhoek*. 1999;76:391–394. [PubMed]
39. 25. Nout MJR. Rich nutrition from the poorest - Cereal fermentations in Africa and Asia. *Food Microbiol*. 2009;26:685–692. [PubMed]
40. 26. Namugumya BS, Muyanja CMBK. Traditional processing, microbiological, physiochemical and sensory characteristics of Kwete, a Ugandan fermented maize based beverage. *Afr J Food Agric Nutr Dev*. 2009;9:1046–1059.
41. 27. de Vrese M, Marteau PR. Probiotics and Prebiotics: effects on diarrhea. *J Nutr*. 2007;137(Suppl 2):803S–811S. [PubMed]
42. 28. Weizman Z, Alsheikh A. Safety and tolerance of a probiotic formula in early infancy comparing two probiotic agents: a pilot study. *J Am Coll Nutr*. 2006;25:415–419. [PubMed]
43. <https://med.stanford.edu/news/all-news/2015/12/new-technique-reveals-gut-bacteria-diversity.html>
44. <http://www.medicalnewstoday.com/articles/292463.php>
45. Diet-Induced Dysbiosis of the Intestinal Microbiota and the Effects on Immunity and Disease, Kirsty Brown et al, *Nutrients*. 2012 Aug; 4(8): 1095–1119.
46. Gut microbiota composition correlates with diet and health in the elderly, Marcus J. Claesson et al, *Nature* 488, 178–184 (09 August 2012)